


Tickr[®]

MAKE YOUR HOME HAPPY



Luxurious

Architectural Hardware

PRODUCT CATALOGUE

Tickr[®]

MAKE YOUR HOME HAPPY

Tickr - world-class Architectural Hardware Company surpassed all proven bench marks. It is our track record which place us as a front-runner amongst vast variety of hardware products. In a decade, real estate has emerged as a remarkable player in terms of modernity, style and durability. Demand for quality material was essence of the time. Inferior or short-term material providers have been eliminated completely and only those player survived in this fierce competition who gave tough competition to their opponents. At Tickr, our exponential growth is the proof of our commitment, strength, confidence of customer. we can proudly say that we have retained our position as one of the big leader of architectural hardware.

Let's look at our endeavors:

Vast product range -Floor spring, Patch fitting, Shower hinges, Glass Connectors, Sliding fitting, Door handles, Spider fitting, Railing accessories, Glass door locks, Aluminium track, Kitchen profiles etc.

- While sourcing raw material, we undergo meticulous planning at every stage such as latest trends in the market and how to overcome embarrassing situations of non-performance.

Always looking for newer products and quality

- Thorough inspection and stringent quality tests
- Service and support : Quick reaction. post Service support

Last but not the least, we have established confidence with our elite clients.





Tickr[®]

MAKE YOUR HOME HAPPY

Floor Spring	01-02
Combo Patch Set	03
Hydraulic Patch	04
Patch Fitting	05-07
Plastic Profile	08
Sower Hinges	09-10
Glass Connectors	11-12
Hydraulic Shower Hinges	13
Sower Knight Head Acc.	14
Sower Door Knobs & Handles	15
Canopy Fitting & Point Fixed Glass Connectors	15
Shower Sliding System 11A	16
Office Sliding System & Acc.	17-18
Sliding Shower Screen System Set	19
Office Sliding System	20
Sliding Folding System	21
Center Sliding Folding System	22
Profile Telescopic Sliding System	23
Profile Synchronized Sliding System	24
Automatic Sliding Sensor Door	25
Spider Fitting	26-27
Articulated Routels	27
Fin Plates & Splice Plates	28
Door Handels	29-31
Door Locks	32-33
Glass Railing Acc.	34-35
Aluminium Track	36
Tandom Box	37
Aluminium Kitchen Profile	38
Wardrobe Sliding System	39
Auto Closing Hinges	39
Telescopin Channel	40



Tickr[®]



Black Matt



Gold



Rose Gold

TCH-8400 Double Spring Floor Hinge



TESTED TO
5,00,000 CYCLES



TCH-8400
Double Spring Floor Hinge

Specification

Over 5,00,000 cycles tested.
General design, suitable for left or right hand to open the door in single and both sides.
Universal machine cylinder.
Closing force-25nm.
Maximum wide door leaf-1100mm.
Maximum door weight-120kgs
Speed covering control-two stage adjustable speed.
Location-90° hold open




TCH-8400 BM
Double Spring Floor Hinge



TCH-8400 GD
Double Spring Floor Hinge





TCH-8400 RG
Double Spring Floor Hinge



TCH-7400
Single Spring Floor Hinge

Specification

Over 5,00,000 cycles tested.
General design, suitable for left or right hand to open the door in single and both sides.
Universal machine cylinder.
Closing force-20nm.
Maximum wide door leaf-750 to 900mm.
Maximum door weight-90kgs
Speed covering control-two stage adjustable speed.
Location-90° hold open



TCH-7400 BM
Double Spring Floor Hinge



TCH-7400 GD
Double Spring Floor Hinge





TCH-7400 RG
Double Spring Floor Hinge



TCH-9400
Double Spring Floor Hinge

Specification

Over 5,00,000 cycles tested.
General design, suitable for left or right hand to open the door in single and both sides.
Universal machine cylinder.
Closing force-25nm.
Maximum wide door leaf-1200mm.
Maximum door weight-150kgs
Speed covering control-two stage adjustable speed.
Location-90° hold open




TCH-9400 BM
Double Spring Floor Hinge



TCH-9400 GD
Double Spring Floor Hinge




TCH-9400 RG
Double Spring Floor Hinge



TCH-10400
Double Spring Floor Hinge

Specification

Over 5,00,000 cycles tested.
General design, suitable for left or right hand to open the door in single and both sides.
Universal machine cylinder.
Closing force-25nm.
Maximum wide door leaf-1500mm.
Maximum door weight-200kgs
Speed covering control-two stage adjustable speed.
Location-90° hold open



Tickr[®] COMBO PATCH SET



TCH-8400 (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001
Top Patch



TCH-002
Bottom Patch



TCH-8400 B (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 BM
Top Patch



TCH-002 BM
Bottom Patch



TCH-8407
Corner Patch Lock



TCH-8405
Top Pivot



TCH-8407 BM
Corner Patch Lock



TCH-8405 BM
Top Pivot



TCH-8400 G (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 GD
Top Patch



TCH-002 GD
Bottom Patch



TCH-8400 RG (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 RG
Top Patch



TCH-002 RG
Bottom Patch



TCH-8407 GD
Corner Patch Lock



PTCH-8405 GD
Top Pivot



TCH-8407 RG
Corner Patch Lock



TCH-8405 RG
Top Pivot



TCH-7400 (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001
Top Patch



TCH-002
Bottom Patch



TCH-7400 B (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 BM
Top Patch



TCH-002 BM
Bottom Patch



TCH-8407
Corner Patch Lock



TCH-8405
Top Pivot



TCH-8407 BM
Corner Patch Lock



TCH-8405 BM
Top Pivot



TCH-7400 (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 GD
Top Patch



TCH-002 GD
Bottom Patch



TCH-7400 B (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 RG
Top Patch



TCH-002 RG
Bottom Patch



TCH-8407 GD
Corner Patch Lock



TCH-8405 GD
Top Pivot



TCH-8407 RG
Corner Patch Lock



TCH-8405 RG
Top Pivot



TCH-9400 (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001
Top Patch



TCH-002
Bottom Patch



TCH-9400 B (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 BM
Top Patch



TCH-002 BM
Bottom Patch



TCH-8407
Corner Patch Lock



TCH-8405
Top Pivot



TCH-8407 BM
Corner Patch Lock



TCH-8405 BM
Top Pivot



TCH-9400 (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 GD
Top Patch



TCH-002 GD
Bottom Patch



TCH-9400 B (Set- 5 Pcs.)
Double Spring Floor Hinge
Top Patch, Bottom Patch,
Corner Patch Lock, Top Pivot



TCH-001 RG
Top Patch



TCH-002 RG
Bottom Patch



TCH-8407 GD
Corner Patch Lock





TCH-8405 GD
Top Pivot



TCH-8407 RG0
Corner Patch Lock





TCH-8405 RG
Top Pivot



TCH-100
Hydraulic Floor Hinge

Product Specification

- Suitable door weight : Max 80kg
- Suitable door width : 750~900mm
- Suitable door height : 2100~2250mm
- Suitable door thickness : 8~12mm
- Ambient temperature : -20°C~+50°C
- Quick and easy installation



TCH-100 BM
Hydraulic Floor Hinge



TCH-100 GD
Hydraulic Floor Hinge



TCH-100 RG
Hydraulic Floor Hinge

HYDRAULIC PATCH SET



TCH-100
Hydraulic Floor Hinge



TCH-001
Top Patch



TCH-8405
Top Pivot



TCH-100 BM
Hydraulic Floor Hinge



TCH-001 BM
Top Patch



TCH-8405
Top Pivot



TCH-100 GD
Hydraulic Floor Hinge



TCH-001 GD
Top Patch



TCH-8405
Top Pivot



TCH-100 RG
Hydraulic Floor Hinge





TCH-001 RG
Top Patch



TCH-8405 RG
Top Pivot



TCH-001
Top Patch



TCH-001 BM
Top Patch





TCH-001 GD
Top Patch



TCH-001 RG
Top Patch



TCH-002
Bottom Patch



TCH-002 BM
Bottom Patch





TCH-002 GD
Bottom Patch



TCH-002 RG
Bottom Patch



TCH-8406
Over Panel Side Panel
Connecting Patch with Pivot (Big L)



TCH-8406 BM
Big L





TCH-8406 GD
Big L



TCH-8406 RG
Big L



TCH-8407
Corner Patch Lock
with Strike Plate



TCH-8407
Corner Patch Lock
with Strike Plate





TCH-8407
Corner Patch Lock
with Strike Plate



TCH-8407
Corner Patch Lock
with Strike Plate



TCH-8408
Over Panel Side Panel
Patch Connector (Small L)



TCH-8408
Small L





TCH-8408
Small L



TCH-8408
Small L



TCH-8409
Wall Mounted Over Panel
Patch with Pivot (Over Panel)



TCH-8409
Over Panel Patch




TCH-8409
Over Panel Patch



TCH-8409
Over Panel Patch



TCH-8405
Top Pivot for Patch Fitting Door



TCH-8405
Top Pivot




TCH-8405
Top Pivot




TCH-8405
Top Pivot



TCH-8410
Center Patch Lock




Cut Out Details



Side View




TCH-8411
Center Lock Strike Box




Side View



TCH-8412
Latch Lock




Cut Out Details




Side View



TCH-8413
Latch Lock Strike Box




Cut Out Details




Side View



TCH-8414
Quadruple Patch




Cut Out Details




Side View



TCH-8415
Wall to Glass Connecting Patch




Cut Out Details




Side View




TCH-8416
Glass to Glass Connecting Patch
with Wall/ Ceiling



Cut Out Details




Front View



Side View





TCH-8418
Double Over Panel Patch




Side View



TCH-8417
Wall to Glass Connecting Patch





Cut Out Details




Side View



TCH-8419
Over Panel Side Panel
Connector with Fin (Left)





Cut Out Details




Side View



TCH-8420
Over Panel Side Panel
Connector with Fin (Right)




Cut Out Details




Side View




TCH-8421
Connector with Fin



Cut Out Details





Cut Out Details




Side View



TCH-8422
Quadruple Patch with Fin




Cut Out Details



Side View




TCH-8423
Triple Glass Patch Connector with Fin (Left/ Right)




Cut Out Details



TCH-8424
Over Panel Side Panel Patch
Connector with Stopper



Cut Out Details




Side View




TCH-8403
Top Pivot / Bottom Pivot for
Wooden / Aluminium Doors



TCH-8401
Mini Floor Hinge



TCH-8404
Glass Door Stopper




TCH-8402
Glass Door Tower Bolt




Specification
 • Finish : Satin stainless steel
 • Pivot point of 55 / 65mm
 • With SS 304 cover of 1.2mm thickness
 • High quality tempered precision screws are used to ensure solid gripping


TRANSPARENT PVC PROFILE



TCH-8445 Wall Seal
For : 10-12mm Glass, Size : 2.2mtr.




TCH-8446 Center Seal
For : 10-12mm Glass, Size : 2.2mtr. & 2.5mtr.



TCH-8447 Side Seal
For : 10-12mm Glass, Size : 2.2mtr. & 2.5mtr.




TCH-8448 D Seal
For : 10-12mm Glass, Size : 2.2mtr. & 2.5mtr.



TCH-8449
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8450 Sliding Door Seal
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8451 Water Dispersal Seal
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8452 Magnetic Seal 180°
For : 10-12mm Glass, Size : 2.2mtr.




TCH-8453 Magnetic Seal 135°
For : 10-12mm Glass, Size : 2.2mtr.




TCH-8454 Magnetic Seal 90°
For : 10-12mm Glass, Size : 2.2mtr.

Black PVC PROFILE



TCH-8445 B Wall Seal
For : 10-12mm Glass, Size : 2.2mtr.




TCH-8446 B Center Seal
For : 10-12mm Glass, Size : 2.2mtr. & 2.5mtr.



TCH-8447 B Side Seal
For : 10-12mm Glass, Size : 2.2mtr. & 2.5mtr.




TCH-8448 B D Seal
For : 10-12mm Glass, Size : 2.2mtr. & 2.5mtr.




TCH-8449 B
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8450 B Sliding Door Seal
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8451 B Water Dispersal Seal
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8452 B Magnetic Seal 180°
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8453 B Magnetic Seal 135°
For : 10-12mm Glass, Size : 2.2mtr.



TCH-8454 B Magnetic Seal 90°
For : 10-12mm Glass, Size : 2.2mtr.

ECONOMY SERIES (ZINC)

PREMIUM SERIES (SS 304)

Door Thickness : 8mm-12mm
Weight Cap. : 45kg
Finish : Matt & Chrome Plated



TCH-8425
Wall to Glass 90° Off Set Hinge



TCH-8431
Wall to Glass 90° Off Set Hinge



TCH-8431 BM



TCH-8431 GD



TCH-8431 RG



TCH-8426
Wall to Glass 90° Hinge



TCH-8432
Wall to Glass 90° Hinge



TCH-8432 BM



TCH-8432 GD



TCH-8432 RG



TCH-8427
Glass to Glass 180° Hinge



TCH-8433
Glass to Glass 180° Hinge



TCH-8433 BM



TCH-8433 GD



TCH-8433 RG



TCH-8428
Glass to Glass 135° Hinge



TCH-8435
Glass to Glass 135° Hinge



TCH-8435 BM



TCH-8435 GD



TCH-8435 RG



TCH-8429
Glass to Glass 90° Hinge



TCH-8436
Glass to Glass 90° Hinge



TCH-8436 BM



TCH-8436 GD



TCH-8436 RG



TCH-8430
Wall to Glass 90° Fix Bracket



TCH-8437
Wall to Glass 90° Fix Bracket




TCH-8437 BM





TCH-8437 GD





TCH-8437 RG





Size & Cutout Details for TCH-8425 & TCH-8431
Wall to Glass 90° Off Set Hinge





Size & Cutout Details for TCH-8426 & TCH-8432
Wall to Glass 90° Hinge




Size & Cutout Details for TCH-8427 & TCH-8433
Glass to Glass 180° Hinge




Size & Cutout Details for TCH-84278 & TCH-8435
Glass to Glass 135° Hinge



Size & Cutout Details for TCH-8429 & TCH-8436
Glass to Glass 90° Hinge



Size & Cutout Details for TCH-8430 & TCH-8437
Wall to Glass 90° Fix Bracket



PREMIUM SERIES (SS 304)

Door Thickness : 8mm-12mm
Weight Cap. : 45kg
Finish : Matt & Chrome Plated

ROYAL SERIES (SS 304)

ROUND SERIES (SS 304)



TCH-8438
U Connector



TCH-8438 BM BM



TCH-8438 GD



TCH-8438 RG



TCH-8438 A
U Connector



TCH-8438 R
U Connector



TCH-8439
Glass to Glass 135° Connector



TCH-8439 BM



TCH-8439 GD



TCH-8439 RG



TCH-8439 A
Glass to Glass 135° Connector



TCH-8439 R
Glass to Glass 135° Connector



TCH-8440
Glass to Glass 90° Connector



TCH-8440 BM



TCH-8440 GD



TCH-8440 RG



TCH-8440 A
Glass to Glass 90° Connector



TCH-8440 R
Glass to Glass 90° Connector



TCH-8442
L Connector



TCH-8442 BM



TCH-8442 GD



TCH-8442 RG



TCH-8442 A
L Connector



TCH-8442 R
L Connector



TCH-8443
Glass to Glass 180° Connector



TCH-8443 BM



TCH-8443 GD



TCH-8443 RG



TCH-8443 A
Glass to Glass 180° Connector



TCH-8443 R
Glass to Glass 180° Connector



TCH-8443
T Connector Glass to Glass 90°




TCH-8443 BM






TCH-8443 GD






TCH-8443 RG









Size & Cutout Details for TCH-8438, TCH-8438 A & TCH-8438 R
U Connector






Size & Cutout Details for TCH-8439, TCH-8439 A & TCH-8439 R
Glass to Glass 135° Connector



Size & Cutout Details for TCH-8440, TCH-8440 A & TCH-8440 R
Glass to Glass 90° Connector



Size & Cutout Details for TCH-8442, TCH-8442 A & TCH-8442 R
L Connector



Size & Cutout Details for TCH-8443, TCH-8443 A & TCH-8443 R
Glass to Glass 180° Connector



TCH-8434
Double Glass T Hinge (SS 304)




TCH-8434 BM



TCH-8434 GD



TCH-8434 RG





Tickr[®] HYDRAULIC SHOWER HINGES



TCH-8805
Wall to Glass Hinge 90°




TCH-8805 BM
Wall to Glass Hinge 90°



TCH-8806
Glass to Glass Hinge 180°



TCH-8806 BM
Glass to Glass Hinge 180°



ROUND SERIES DIA-19mm (SS 304)



TCH-8455
Wall to Rod



TCH-8455 BM




TCH-8455 GD



TCH-8455 RG



TCH-8456
Rod to Glass



TCH-8456 BM




TCH-8456 GD



TCH-8456 RG



TCH-8457
Rod to Rod



TCH-8457 BM




TCH-8457 GD



TCH-8457 RG



TCH-8458
Rod to Glass
(One Side Blind)




TCH-8458 BM



TCH-8458 GD



TCH-8458 RG



TCH-8459
Rod to Rod T Connector




TCH-8459 BM



TCH-8459 GD



TCH-8459 RG



TCH-8468
Reinforcing Rod (Dia 19mm)

TCH-8468 BM

TCH-8468 GD

TCH-8468 RG

SQUARE SERIES DIA-25mm (SS 304)



TCH-8460
Wall to Rod



TCH-8461
Rod to Glass



TCH-8462
Rod to Rod



TCH-8462 A
Rod to Glass
(One Side Blind)



TCH-8463
Rod to Rod T Connector



TCH-8469
Reinforcing Rod (Dia 25mm)




TCH-8460
Wall to Track Connector




TCH-8460
Track to Glass Connector



TCH-8466
Track to Track Connector



TCH-8470
Connecting Track
(Available in 1.5mtr. & 2.1 mtr.)



Tickr® SHOWER DOOR KNOBS



BM GD RG
TCH-8574
Door Knobs



BM GD RG
TCH-8575
Door Knobs



BM GD RG
TCH-84576
Door Knobs



BM GD RG
TCH-8577
Door Knobs

SHOWER DOOR HANDLES



TCH-8554
SIZE
19x152x457CC
25x152x457CC



TCH-8554 BM



TCH-8554 GD



TCH-8554 RG




TCH-8555
SIZE
15/30x152x457


CANOPY FITTING




TCH-8516
Wall to Glass Connector



TCH-8517
Rod to Glass Connector



TCH-8518
Wall to Rod Connector



TCH-8519 (16mm)
Canopy Rod with Thread

POINT FIXED GLASS CONNECTORS



TCH-8839
Wall to Glass (Adjustable)
(Available in 82mm & 103mm)



TCH-8840
Wall to Glass (Fix)
(Available in 82mm & 103mm)



TCH-8841
Glass to Glass (Adjustable)
(Available in 82mm & 103mm)



TCH-8842
Glass to Glass (Adjustable with Fin)
(Available in 82mm & 103mm)





CP Finish

TCH-8482 - 2 Big Roller & 2 Small Roller, **TCH-8483** - 2 Track to Glass Holder
TCH-8484 - 2 Stopper, **TCH-8485** - 1 Floor Guide
TCH-8486 - 2 Wall to Track Connector, **TCH-8504** - 1 Sliding Handle



Black Matt Finish

TCH-8482 - 2 Big Roller & 2 Small Roller, **TCH-8483** - 2 Track to Glass Holder
TCH-8484 - 2 Stopper, **TCH-8485** - 1 Floor Guide
TCH-8486 - 2 Wall to Track Connector, **TCH-8504** - 1 Sliding Handle



Gold Finish

TCH-8482 - 2 Big Roller & 2 Small Roller, **TCH-8483** - 2 Track to Glass Holder
TCH-8484 - 2 Stopper, **TCH-8485** - 1 Floor Guide
TCH-8486 - 2 Wall to Track Connector, **TCH-8504** - 1 Sliding Handle



Rose Gold Finish

TCH-8482 - 2 Big Roller & 2 Small Roller, **TCH-8483** - 2 Track to Glass Holder
TCH-8484 - 2 Stopper, **TCH-8485** - 1 Floor Guide
TCH-8486 - 2 Wall to Track Connector, **TCH-8504** - 1 Sliding Handle

SLIDING TRACK 11A



TCH-8470
Connecting Track






TCH-8470 BM
Connecting Track



TCH-8470 GD
Connecting Track




TCH-8470 RG
Connecting Track







CUTOUT DETAILS OF TCH-8496



CUTOUT DETAILS OF TCH-8497




CUTOUT DETAILS OF TCH-8498







TCH-8499
Stopper




TCH-8500
Wall to Track Clamp



TCH-8501
Glass to Track Clamp



TCH-8502
90° Track Connector



TCH-8503
Wall to Track Connector



TCH-8504
Sliding Handle (Dia 50mm)




TCH-8504 BM

TCH-8501GD


TCH-8504 RG




TCH-8505 (Hollow)
Sliding Handle (Dia 50mm)




TCH-8506
Sliding Handle (Square)




TCH-8507
Sliding Handle (Rectangle)



TCH-8508
Sliding Door Lock
with Strike Plate




TCH-8509
Sliding Door Lock



TCH-8510
Strike Box




TCH-8511
Floor Guide



TCH-8511 BM

TCH-8511 GD

TCH-8511 RG




TCH-8512
Aluminium Track (Single)
Available in 8, 10 & 13 Ft.




TCH-8512 BM

TCH-8512 GM

TCH-8512 RG



TCH-8513
Aluminium Track (Double Door)
Available in 8, 10 & 13 Ft.



TCH-8514
Aluminium Track (Door+Fix Glass)
Available in 8, 10 & 13 Ft.



TCH-8514 BM

TCH-8514 GM

TCH-8514 RG



TCH-8515
Cover for B-1 Track

Features : Sliding Door Weight: 50kg Max.
Sliding Door Size: 750x2000mm Max.
Glass Thickness: 8 to 10mm



TCH-8800
Knob Clamp Roller (SS)



TCH-8801
Track Mounting Bracket



TCH-8802
Door Stopper



TCH-8511
Floor Guide



TCH-8803
Track to Track 90° Bracket (Extra)



TCH-8800 BM
Knob Clamp Roller (SS)



TCH-8801BM
Track Mounting Bracket



TCH-8802 BM
Door Stopper



TCH-8511BM
Floor Guide



CH-8803 BM
Track to Track 90° Bracket (Extra)



TCH-8800 GD
Knob Clamp Roller (SS)



TCH-8801 GD
Track Mounting Bracket



TCH-8802 GD
Door Stopper




TCH-8511 GD
Floor Guide



CH-8803 GD
Track to Track 90° Bracket (Extra)



TCH-8800 RG
Knob Clamp Roller (SS)



TCH-8801 RG
Track Mounting Bracket





TCH-8802 RG
Door Stopper




TCH-8511 RG
Floor Guide



CH-8803 RG
Track to Track 90° Bracket (Extra)



TCH-8804
Top Track



TCH-8804 BM
Top Track










TCH-8804 GD
Top Track



TCH-8804 RG
Top Track






Track for sliding folding door system to be mounted to the ceiling and floor

Maximum weight per door : 70kg
Maximum height per door : 2500mm


Maximum width per door : 900mm
Suitable for 8 to 10mm glass thickness




TCH-8807
Fixed Hinge



TCH-8808
Glass to Glass Center Hinge



TCH-8809
Center Hinge with Roller



TCH-88010
End Hinge with Roller



TCH-8811
Floor Fixed Hinge



TCH-8812 L/R
Glass to Glass Center Hinge with Lock




TCH-8813
Glass to Glass Center Hinge with Guide




TCH-8814
End Hinge with Guide





TCH-8815
Wall to Glass Hinge



TCH-8816
Floor Track Bottom (S.S.)



TCH-8812
Aluminium Track (Top)



Features



- Telescopic Sliding System for Three Doors, Two Doors and Single Door.
- Suitable for Sliding Doors for Homes, Hotels, Office Buildings etc.
- Space Saving, Good Decorative .
- Sliding Track: Aluminium Anodized.
- Hanging Roller: Zinc Alloy, SN.



TCH-8821
Telescopic Sliding System

3+1 Telescopic System



3 Door Telescopic Accessories Set.
Sliding Top Track.
Track Decorative Cover .
Top & Bottom Profile.
Side Profile.
Handles.
Divider Profile as Per Requirement.



TCH-8822
Telescopic Sliding System

2+1 Telescopic System



2 Door Telescopic Accessories Set.
Sliding Top Track.
Track Decorative Cover .
Top & Bottom Profile.
Side Profile.
Handles.
Divider Profile as Per Requirement.



TCH-8823
Telescopic Sliding System

Single Door Sliding System

Single Door Telescopic Accessories Set.
Sliding Top Track.
Track Decorative Cover .
Top & Bottom Profile.
Side Profile.
Handles.
Divider Profile as Per Requirement.



Features

For Double Leaf Sliding Doors, Synchronized Inversion Sliding System for Double Doors.

Suitable for Sliding Doors for Homes, Hotels, Office Buildings etc .

Space Saving, Good Decorative .



Sliding Track: Aluminium Anodized.

Hanging Roller: Zinc Alloy, SN.




TCH-8824
Profile Synchronized Sliding System

Synchronized Accessories Set.
Sliding Top Track.
Track Decorative Cover .
Top & Bottom Profile.
Side Profile.
Handles.
Divider Profile as Per Requirement.



ACCESSORIES FOR FITTINGS



Fitting Accessories




TCH-8825
Sliding Handle




TCH-8826
Sliding Handle with Lock




TCH-8827
Fix Door Accessories



TCH-8828
Sliding Top Track



TCH-8829
Top/ Bottom Profile




TCH-8830
Side Profile



TCH-8831
Decorative Profile Cover



TCH-8832
Profile




TCH-8833
Divider Profile



TCH-8834
Profile Corner Connector



TCH-9000 Automatic Door Sensor



Specification

Door Parameter	
Single Leaf Maximum Opening	1200mm x 2400mm
Bi-parting Door Maximum Opening	2200mm x 2400mm
Maximum Door Weight Single Leaf	75kg to 90kg (Single Door)
Maximum Door Weight Double Leaf	75kg x 2 Door (Bi-parting)

AUTOMATIC DOOR PARAMETER

TYPE	SASSD-1
Opening Speed	Adjust Between 250-600mm/Sec.
Closing Speed	Adjust Between 150-300mm/Sec.
Holding Time	1-15 Sec.
Pushing Force	<37N <45N
Power	Ac 200-250V
Voltage	DC 24V-50W
Environment Temperature	-200C - +500C

Features and advantages


1. Wide range of power-supply operation.
2. Intelligent control system.
3. Drive equipment with low noise
4. Advanced brushless motor and worm wheel reducer are integrated.
5. Special self-locking function without any addition components
6. With different triggered opening modes
7. Double door interlock function
8. Optional backup power supply to ensure the normal operation.
9. When door is closed, it shall be locked and kept closed
10. Apply to doors for garage, usage of anti-radiation for hospitals, warehouses, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
11. To connect with safety and Security system.
12. Easy installation & Easy Maintenance.
13. Track size : 4200mm/6400mm.




SPIDER WITHOUT FIN




TCH-8520
One Way Spider without Fin



TCH-8520 BM



TCH-8522
Two Way Spider 180° without Fin



TCH-8522 BM



TCH-8524
Four Way Spider without Fin




TCH-8524 BM


SPIDER WITH FIN




TCH-8525
Four Way Spider



TCH-8525 BM




TCH-8527
Two Way Spider



TCH-8527 BM




TCH-8521
Two Way Spider 90° without Fin




TCH-8521 BM



TCH-8523
Three Way Spider without Fin



TCH-8523 BM




TCH-8524 A
Four Way Spider without Fin (90°)

TCH-8524A BM




TCH-8526
Two Way Spider (Wall Mounted)



TCH-8526 BM



TCH-8528
One Way Spider (Wall Mounted)




TCH-8528 BM


SPIDER WITH FIN




TCH-8835
One Way Spider




TCH-8836
Two Way Spider (Wall Mounted)



TCH-8837
Two Way Spider



TCH-8838
Four Way Spider (Wall Mounted)




ARTICULATED ROUTELS



TCH-8537
Articulated Routel (Flat Head)




TCH-8537 BM



TCH-8538
Articulated Routel (Cunter Sunk Hole)




TCH-8538 BM



TCH-8539
Fixed Routel (Flat Head)




TCH-8539 BM



TCH-8540
Iron Assembly




TCH-8540 BM



TCH-8541
Fixed Routel (Cunter Sunk)




TCH-8541 BM



FIN PLATES




TCH-8529
Fin Plate (200mm)



TCH-8529 BM




TCH-8530
Fin Plate (300mm)



TCH-8530 BM




TCH-8531
Fin Plate (350mm)



TCH-8531 BM



TCH-8532
Fin Plate (400mm)




TCH-8532 BM


SPLICE PLATES




TCH-8533
Splice Plate (200mm)




TCH-8533 BM



TCH-8534
Splice Plate (250mm)





TCH-8534 BM



TCH-8535
Splice Plate (300mm)




TCH-8535 BM



TCH-8536
Splice Plate (350mm)




TCH-8536 BM



TCH-8542

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
327	302	25
482	450	32




TCH-8543

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
325	212	25
325	240	25
457	302	32 (SS 302)
600	455	32
900	600	32
900	700	32
1200	900	32
1500	1200	32

TCH-8543 BM


TCH-8543 GD

TCH-8543 RG




TCH-8544

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
457	302	32




TCH-8545

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
327	302	25/25
480	450	30/30




TCH-8546 (Adjustable)

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
325	200	25
457	302	32




TCH-8547

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
450	302	38
600	450	38




TCH-8548

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
450	302	25/45




TCH-8549

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
450	302	38




TCH-8550 (Acrylic)

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
450	302	38




TCH-8552

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
450	302	38/25




TCH-8553

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
327	302	25/25
480	450	30/30




TCH-8572

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
457	302	38




TCH-8573 (Adjustable)

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
500	302	38
850	455	38




TCH-8574

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
457	302	38
600	450	38




TCH-8575

Overall Length (A)	Centre to Centre Hole (B)	Diameter (C)
450	302	32



TCH-8576
Size : 35X1500mm



TCH-8577
Size : 35X1500mm





TCH-8578
Double Door Lock (Only Key)



TCH-8579
Single Door Lock (Only Key)




TCH-8556
Double Door Lock (Key & Knob)



TCH-8557
Single Door Lock (Key & Knob)



TCH-8558
Double Door Lock (Only Key)



TCH-8559
Single Door Lock (Only Key)



TCH-8560
Double Door Lock (Key & Knob)



TCH-8561
Single Door Lock (Key & Knob)



TCH-8562 (Slot Type)
Mini - Double Door Lock (Key & Knob)



TCH-8563 (Slot Type)
Mini - Single Door Lock (Key & Knob)



TCH-8564 (Pin Type)
Mini - Double Door Lock (Key & Knob)



TCH-8565 (Pin Type)
Mini - Single Door Lock (Key & Knob)



TCH-8566
Double Door Lock (Only Knob)



TCH-8567
Single Door Lock (Only Knob)



TCH-8568
Double Door Lock (Only Knob)




TCH-8569
Single Door Lock (Only Knob)


SLIDING GLASS DOOR LOCKS



TCH-8570
Sliding Door lock (Glass to Glass)




TCH-8571
Sliding Door lock (Wall to Glass)





TCH-8580
Double Door lock (Glass to Glass)



TCH-8581
Single Door lock (Wall to Glass)



TCH-8582 (Key & Knob)
Sliding Double Door lock
(Glass to Glass)

TCH-8583 (Key & Knob)
Sliding Single Door lock
(Wall to Glass)



TCH-8584 (Key & Knob)
Sliding Double Door lock
(Glass to Glass)



TCH-8585 (Key & Knob)
Sliding Single Door lock
(Wall to Glass)

FINGER PRINT DOOR LOCKS



TCH-8586
Electronic Double Door lock
(Glass to Glass)



TCH-8587
Electronic Single Door lock
(Wall to Glass)



One Card Function



Finger print Indetification



Anti Theft Alarm (Optional)



Doorbell



Combination Lock



Low Voltage Alarm



Automatic Identify office Number



Undetected anti-hijacking Alarm Functon



Remote Unlock



Voice Functon



USB Data Acquisition



Security Against Peeping Password Input



Wireless Remote Control





Attendance Function

Technical Details

- Fingerprint Collector : Semiconductor
- Fingerprint Capacity : 1000 Pieces
- Fingerprint Time : < 0.5 Seconds
- Resistant Rate : < 0.1%
- Leave Recognition Rate : < 0.001%
- Password Group Number : 500 Groups
- Password Length : 6-20
- IC Card group Number : 500 Groups
- Remote Control Group Number : 500 Group (Optional)
- Working Power : 4 Section 5 Basic Battery
- Operating Voltage : 4.5-6.5 V
- Operating Temperature : -20 C to 55C
- Relative Humidity : 20-93 % RH
- Main Material : Zinc Alloy Die Casting, electroplating
- Applicable Door Type : Framed Door, Glass Door without Frame
- Emergency Power Supply : Micro USB Emergency Power Supply interact, Voltage Range 5-7 V
- Emergency Power Supply : Micro USB Emergency Power Supply intedace, Voltage Range 5-7 V







TCH-8612
Single Slotted Round Pipe



TCH-8613
Double Slotted Round Pipe



TCH-8614
Single Slotted Curve Pipe



TCH-8615
Single Slotted Square Pipe



TCH-8616
Slotted Pipe Jointer 180°



TCH-8617
Slotted Pipe Jointer 90°



TCH-8618
Slotted Pipe Jointer L-Type 90°



TCH-8619
Straight Jointer




TCH-8620
Wall to Slotted Pipe Jointer



TCH-8621
Slotted Pipe End Cap




TCH-8622
Slotted Pipe Jointer 180°



TCH-8623
Slotted Pipe Jointer 90°



TCH-8624
Slotted Pipe Jointer L-Type 90°



TCH-8625
Straight Jointer




TCH-8626
Wall to Slotted Pipe Jointer



TCH-8627
Slotted Pipe End Cap


U CHANNEL



TCH-8467 (CP)
'U' Channel (For Fixed Glass)
Available in 3 Mtr.
Thickness: 1.5mm
Material : SS 304



TCH-8467 (Black Matt)
'U' Channel (For Fixed Glass)
Available in 3 Mtr.
Thickness: 1.5mm
Material : SS 304




ALUMINIUM PROFILE



TCH-8628
Glass Wedge Partition


Specification

- **Aluminium**
- Size : 3 Mtr. & 5 Mtr.
- Finish : Silver Anodized
- Glass held at every 300 mm with clamping shoes
- Do not require any glass preparation
- Low Maintenance cost
- Attached with ceiling, floor or wall
- Easy and simple installation of the glass
- Low maintenance cost
- Highly cost effective
- Fast completion of projects can be achieved
- Base section with provision to attach to fixed structure at 300mm interval





ALUMINIUM SLIDING TRACK




TCH-8736

Aluminium Sliding Track

Specification

• Size : 8 Ft., 10 Ft., 12 Ft., 16 Ft.




TCH-8738

Aluminium Sliding Track (Light)

Specification

• Size : 8 Ft., 10 Ft., 12 Ft., 16 Ft.




TCH-8739

Aluminium Sliding Track (Heavy)

Specification

• Size : 8 Ft., 10 Ft., 12 Ft., 16 Ft.




TCH-8740

Aluminium Sliding Track

Specification

• Size : 10 Ft., 12 Ft.




TCH-8741

Aluminium Sliding Track

Specification

• Size : 10 Ft., 12 Ft.




TCH-8512

Aluminium Sliding Track

Specification

• Size : 8 Ft., 10 Ft., 12 Ft.




TCH-8513

Aluminium Sliding Double Track

Specification

• Size : 8 Ft., 10 Ft., 12 Ft.




TCH-8514

One Fix and One Movable Glass

Specification

• Size : 8 Ft., 10 Ft., 12 Ft.




TCH-8742

Sliding Fitting Track

Specification

• Size : 3 Mtr.




TCH-8743

Aluminium Sliding Track

Specification

• Size : 8 Ft., 12 Ft.




TCH-8744

Aluminium Gola Profile (C-Shape)

Specification

• Finish : Aluminium / Black

• Size : 3mtr.




TCH-8745

Aluminium Gola Profile (L-Shape)

Specification

• Finish : Aluminium / Black

• Size : 3mtr.




TCH-8746

Aluminium Sliding Track

Specification

• Finish : Aluminium

• Size : 8ft., 12Ft.



Specification

- Finish : Dark Grey
- Dynamic Load Capacity : 45kg.
- High Quality Metal with Matt Finish
- Silent System Guarantees smooth Run without Noise
- Size : 350 mm, 400 mm, 450 mm, 500 mm, 550 mm

TCH-8701 Set
Slim Tandom Box



Specification

- Finish : Dark Grey
- Dynamic Load Capacity : 45kg.
- High Quality Metal with Matt Finish
- Silent System Guarantees smooth Run without Noise
- Size : 350 mm, 400 mm, 450 mm, 500 mm, 550 mm

TCH-8702 Set
Tandom Box



Specification

- Finish : Dark Grey
- Dynamic Load Capacity : 45kg.
- High Quality Metal with Matt Finish
- Silent System Guarantees smooth Run without Noise
- Size : 350 mm, 400 mm, 450 mm, 500 mm, 550 mm

TCH-8703 Set
Tandom Box



TCH-8704
Tandom Box




TCH-8705
Tandom Box



TCH-8706
Tandom Box






TCH-8707

Aluminium G Profile (35 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP
- Glossy CP/ Black/ Rose Gold
- Size : 3 Mtr.




TCH-8708

Aluminium Frame Profile (45 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP
- Glossy CP/ Black/ Rose Gold
- Glass Thickness : 4 mm / 5 mm
- Size : 3 Mtr.




TCH-8709

Aluminium Handle Profile (68 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP
- Glossy CP/ Black/ Rose Gold
- Glass Thickness : 4 mm / 5 mm
- Size : 3 Mtr.




TCH-8710

Aluminium Shutter Profile (50 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 6 mm
- Size : 3 Mtr.




TCH-8711

Aluminium Handle Profile (75 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 6 mm
- Size : 3 Mtr.




TCH-8712

Aluminium Handle Profile (50 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 6 mm
- Size : 3 Mtr.




TCH-8713

Aluminium Shutter Profile (45 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 4 mm / 5 mm
- Size : 3 Mtr.




TTCH-8714

Aluminium Handle Profile (67 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 4 mm / 5 mm
- Size : 3 Mtr.




TCH-8715

Aluminium Shutter Profile (50 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 4 mm / 5 mm
- Size : 3 Mtr.




TCH-8716

Aluminium Handle Profile (75 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Glass Thickness : 4 mm / 5 mm
- Size : 3 Mtr.




TCH-8717

Aluminium Frame Profile (45 mm)

Specification

- Finish : Aluminium/ Brushed SS / Black
- Size : 3 Mtr.




TCH-8718

Aluminium Handle Profile (72 mm)

Specification

- Finish : Aluminium/ Brushed SS / Black
- Size : 3 Mtr.




TCH-8719

Aluminium Handle Profile (68 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Size : 3 Mtr.




TCH-8720

Aluminium Frame Profile (45 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Size : 3 Mtr.




TCH-8721

Aluminium Handle Profile (67 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Size : 3 Mtr.




TCH-8722

Aluminium 'J' Handle Profile (40 mm)

Specification

- Finish : Aluminium/ Brushed SS/ Brushed CP / Black
- Size : 3 Mtr.




TCH-8723

Aluminium Frame Profile (45 mm)

Specification

- Finish : Aluminium / Black / Rose Gold / Grey
- Size : 3 Mtr.




TCH-8724

Aluminium Handle Profile (72.5 mm)

Specification


- Finish : Aluminium / Black / Rose Gold / Grey
- Size : 3 Mtr.



TCH-8725
Wardrobe Soft Close Sliding System



TCH-8726
Aluminium Sliding Track for
TCH-0000



Specification
• Finish : Aluminium
• Size : 8ft., 12Ft.



AUTO CLOSING HINGES

Clip on Hinges M. S. Soft Close Thick Door



TCH-8727
Full Overlay Hinges 0°



TCH-8728
Half Overlay Hinges 8°



TCH-8729
Inset Lay Hinges 16°

M. S. 3 D Soft Close Hinges



KTCH-8730
Soft Close Hinges 0°



TCH-8731
Soft Close Hinges 8°



TCH-8732
Soft Close Hinges 16°



TCH-8733
Telescopic Channel (Premium)

Specification
• Material : SSS
• Sizes : 10" to 24"



TCH-8733 BM
Telescopic Channel (Premium)

Specification
• Material : SSS
• Sizes : 10" to 24"



TCH-8734
Telescopic Channel Heavy Duty (53 mm)

Specification
• Weight Capacity : upto 90 Kg.
• Sizes : 14" to 48"



TCH-8734 BM
Telescopic Channel Heavy Duty (53 mm)

Specification
• Weight Capacity : upto 90 Kg.
• Sizes : 14" to 48"



TCH-8735
Telescopic Channel (Premium)

Specification
• Material : Iron
• Finish : Zinc
• Sizes : 10" to 24"




TCH-8735 BM
Telescopic Channel (Premium)

Specification
• Material : Iron
• Finish : Black Powder Coated
• Sizes : 10" to 24"





Tickr[®]
MAKE YOUR HOME HAPPY



Product photos shown in catalogue are only the visual and may be differ from original.
The technical presentation and dimension in illustrations and drawings shown are for reference only.
Pls. refer the original product for toughen glass cutout.